

Tobacco Product Use Among Adults

Johnson County, 2017



OVERVIEW



In 2017, **about 11 of every 100** Johnson County adults 18 years and older currently smoked cigarettes.*



In 2017, **about 58 of every 100** Johnson County adults 18 years and older who were current smokers stopped smoking for one day or longer because they were trying to quit smoking.



In 2017, **about 3 of every 100** Johnson County adults 18 years and older currently used any smokeless tobacco products.†



In 2017, **nearly 4 of every 100** Johnson County adults 18 years and older currently used e-cigarettes.‡

Cigarette Smoking by Selected Socio-demographic Characteristics, Johnson County

BY GENDER[¶]

11.3%

About 11 of every 100 adult women.




10.9%


Nearly 11 of every 100 adult men.

BY AGE


Current cigarette smoking was significantly higher among persons **aged 18-44 years**, and **45-64 years** compared to those **aged 65 years and older**.



About 13 of every 100 adults aged 18-44 years.



About 11 of every 100 adults aged 45-64 years.



Nearly 6 of every 100 adults aged 65 years and older.

BY OBESITY[¶]


Nearly 12 of every 100 adults who were Normal or Underweight (BMI<25).

11.8%




About 10 of every 100 adults who were Overweight (25<=BMI<30).

10.1%




13 of every 100 adults who were Obese (BMI>=30).


13.0%



BY HEALTH INSURANCE[¶]



About 9 of every 100 adults who were insured




Nearly 30 of every 100 adults who were uninsured

[¶] The prevalence estimates of current cigarette smoking in Johnson County are not significantly different by gender, obesity, and health insurance groups.

Cigarette Smoking by Selected Socio-demographic Characteristics, Johnson County

BY EDUCATION

Current cigarette smoking was **significantly higher among persons with a high school education or less** compared to adults with **some college education or higher**.



Nearly 18 of every 100 adults with a high school education or less.



About 9 of every 100 adults with some college education or higher.

BY ANNUAL HOUSEHOLD INCOME

Current cigarette smoking was significantly higher among persons with an annual household income of **less than \$35,000 per year** compared to those with **\$35,000 or higher per year**.



23.1%

About 23 of every 100 adults with an annual household income of less than \$35,000 per year.



8.7%

Nearly 9 of every 100 adults with an annual household income of \$35,000 or higher per year.

BY DISABILITY STATUS[#]


Nearly 13 of every 100 adults who reported living with a disability.[§]

12.5%



Nearly 11 of every 100 adults who reported living without a disability.

10.8%



[#] The prevalence estimates of current cigarette smoking in Douglas County are not significantly different by disability status groups. [§] Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).